

DiC TOOLS





CARBIDE **BURRS**

DIC TOOLS




- **Chamfering angle, circular bead or flute on the mechanical components**
- **Chamfering or burring the pipes**
- **Polishing the impeller channel**
- **Grinding the hole to an accurate shape**







A Shape



B Shape



C Shape




D Shape



E Shape



F Shape



G Shape




H Shape



J Shape



K Shape



L Shape




M Shape



N Shape

Cylinder without Endcut

Shape : SA



Items

Dimensions -All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K13K03A01	A0313M03	3	13	3	38
J0B04K13K03A01	A0413M03	4	13	3	38
J0B06K16K06A01	A0616M06	6	16	6	61
J0B08K20K06A01	A0820M06	8	20	6	65
J0B10K20K06A01	A1020M06	10	20	6	65
J0B11K25K06A01	A1125M06	11	25	6	70
J0B12K25K06A01	A1225M06	12	25	6	70
J0B16K25K06A01	A1625M06	16	25	6	70
J0B19K25K06A01	A1925M06	19	25	6	70
J0B25K25K06A01	A2525M06	25	25	6	70

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K16K06ANFA	A0616M06NF	6	16	6	61
J0B08K20K06ANFA	A0820M06NF	8	20	6	65
J0B10K20K06ANFA	A1020M06NF	10	20	6	65
J0B12K25K06ANFA	A1225M06NF	12	25	6	70
J0B16K25K06ANFA	A1625M06NF	16	25	6	70

Customization is acceptable.

Cylinder with Endcut

Shape : SB



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K14K03B01	B0314M03	3	14	3	38
J0B04K13K03B01	B0413M03	4	13	3	38
J0B06K16K06B01	B0616M06	6	16	6	61
J0B08K20K06B01	B0820M06	8	20	6	65
J0B10K20K06B01	B1020M06	10	20	6	65
J0B11K25K06B01	B1125M06	11	25	6	70
J0B12K25K06B01	B1225M06	12	25	6	70
J0B16K25K06B01	B1625M06	16	25	6	70
J0B19K25K06B01	B1925M06	19	25	6	70
J0B20K25K06B01	B2025M06	20	25	6	70
J0B25K25K06B01	B2525M06	25	25	6	70

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K16K06BNFA	B0616M06NF	6	16	6	61
J0B08K20K06BNFA	B0820M06NF	8	20	6	65
J0B10K20K06BNFA	B1020M06NF	10	20	6	65
J0B12K25K06BNFA	B1225M06NF	12	25	6	70
J0B16K25K06BNFA	B1625M06NF	16	25	6	70

Customization is acceptable.

Ball Nosed Cylinder

Shape : SC



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K14K03C01	C0314M03	3	14	3	38
J0B04K13K03C01	C0413M03	4	13	3	50
J0B06K16K06C01	C0616M06	6	16	6	61
J0B08K20K06C01	C0820M06	8	20	6	65
J0B10K20K06C01	C1020M06	10	20	6	65
J0B11K25K06C01	C1125M06	11	25	6	70
J0B12K25K06C01	C1225M06	12	25	6	70
J0B16K25K06C01	C1625M06	16	25	6	70
J0B19K25K06C01	C1925M06	19	25	6	70
J0B20K25K06C01	C2025M06	20	25	6	70
J0B25K25K06C01	C2525M08	25	25	8	70

Items


Aluminum,Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K16K06CNFA	C0616M06NF	6	16	6	61
J0B08K20K06CNFA	C0820M06NF	8	20	6	65
J0B10K20K06CNFA	C1020M06NF	10	20	6	65
J0B11K25K06CNFA	C1125M06NF	11	25	6	70
J0B12K25K06CNFA	C1225M06NF	12	25	6	70
J0B16K25K06CNFA	C1625M06NF	16	25	6	70

Customization is acceptable.

Ball

Shape : SD



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K28K03D01	D0303M03	3	2.8	3	38
J0B04K36K03D01	D0403M03	4	3.6	3	38
J0B06K54K06D01	D0605M06	6	5.4	6	50
J0B08K07K06D01	D0807M06	8	7	6	53
J0B10K09K06D01	D1009M06	10	9	6	54
J0B11K10K06D01	D1110M06	11	10	6	55
J0B12K10K06D01	D1210M06	12	10	6	55
J0B16K14K06D01	D1614M06	16	14	6	59
J0B19K18K06D01	D1918M06	19	18	6	63
J0B25K24K06D01	D2524M06	25	24	6	70

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K05K06DNFA	D0605M06NF	6	5	6	50
J0B08K07K06DNFA	D0807M06NF	8	7	6	53
J0B10K09K06DNFA	D1009M06NF	10	9	6	54
J0B12K10K06DNFA	D1210M06NF	12	10	6	55

Customization is acceptable.

Oval

Shape : SE



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K07K03E01	E0307M03	3	7	3	38
J0B06K10K06E01	E0610M06	6	10	6	50
J0B08K13K06E01	E0813M06	8	13	6	53
J0B10K16K06E01	E1016M06	10	16	6	60
J0B12K20K06E01	E1220M06	12	20	6	65
J0B16K25K06E01	E1625M06	16	25	6	70
J0B19K25K06E01	E1925M06	19	25	6	70

Items


Aluminum,Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia4	OAL
J0B06K10K06ENFA	E0610M06NF	6	10	6	50
J0B08K13K06ENFA	E0813M06NF	8	13	6	53
J0B10K16K06ENFA	E1016M06NF	10	16	6	60
J0B12K20K06ENFA	E1220M06NF	12	20	6	65
J0B16K25K06ENFA	E1625M06NF	16	25	6	70

Customization is acceptable.

Ball Nosed Tree

Shape : SF



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K13K03F01	F0313M03	3	13	3	43
J0B06K18K06F01	F0618M06	6	18	6	58
J0B08K20K06F01	F0820M06	8	20	6	65
J0B10K20K06F01	F1020M06	10	20	6	65
J0B11K25K06F01	F1125M06	11	25	6	70
J0B12K25K06F01	F1225M06	12	25	6	70
J0B16K25K06F01	F1625M06	16	25	6	70
J0B20K25K06F01	F2025M06	20	25	6	70

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K18K06FNFA	F0618M06NF	6	18	6	58
J0B10K20K06FNFA	F1020M06NF	10	20	6	65
J0B12K25K06FNFA	F1225M06NF	12	25	6	70
J0B16K25K06FNFA	F1625M06NF	16	25	6	70

Customization is acceptable.

Pointed Tree

Shape : SG



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K13K03G01	G0313M03	3	13	3	38
J0B04K13K03G01	G0413M03	4	13	3	50
J0B06K18K06G01	G0618M06	6	18	6	58
J0B08K20K06G01	G0820M06	8	20	6	65
J0B10K20K06G01	G1020M06	10	20	6	65
J0B12K19K06G01	G1219M06	12	19	6	65
J0B12K25K06G01	G1225M06	12	25	6	70
J0B16K25K06G01	G1625M06	16	25	6	70
J0B19K25K06G01	G1925M06	19	25	6	70
J0B20K25K06G01	G2025M06	20	25	6	70

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K18K06GNFA	G0618M06NF	6	18	6	58
J0B10K20K06GNFA	G1020M06NF	10	20	6	65
J0B12K25K06GNFA	G1225M06NF	12	25	6	70
J0B16K25K06GNFA	G1625M06NF	16	25	6	70

Customization is acceptable.

Flame

Shape : SH



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K13K03H01	H0313M03	3	13	3	38
J0B06K13K03H01	H0613M03	6	13	3	50
J0B06K18K06H01	H0618M06	6	18	6	63
J0B08K20K06H01	H0820M06	8	20	6	65
J0B10K25K06H01	H1025M06	10	25	6	70
J0B12K30K06H01	H1230M06	12	30	6	75
J0B16K36K06H01	H1636M06	16	36	6	80
J0B19K41K06H01	H1941M06	19	41	6	85

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K18K06HNFA	H0618M06NF	6	18	6	63
J0B08K20K06HNFA	H0820M06NF	8	20	6	65
J0B10K25K06HNFA	H1025M06NF	10	25	6	70
J0B12K30K06HNFA	H1230M06NF	12	30	6	75
J0B16K36K06HNFA	H1636M06NF	16	36	6	80

Customization is acceptable.

60° Countersink

Shape : SJ



Items

Dimensions - All in mm




Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K26K03J01	J0303M03	3	2.6	3	38
J0B06K05K06J01	J0605M06	6	5	6	50
J0B08K67K06J01	J0807M06	8	6.7	6	52
J0B10K09K06J01	J1009M06	10	9	6	55
J0B12K11K06J01	J1211M06	12	11	6	58
J0B16K13806J01	J1614M06	16	13.8	6	59
J0B19K17K06J01	J1917M06	19	17	6	62
J0B25K24506J01	J25245M06	25	24.5	6	68

Customization is acceptable.

90° Countersink

Shape : SK



Items

Dimensions - All in mm




Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K02K03K01	K0302M03	3	2	3	38
J0B06K03K06K01	K0603M06	6	3	6	50
J0B08K04K06K01	K0804M06	8	4	6	50
J0B10K05K06K01	K1005M06	10	5	6	50
J0B12K06K06K01	K1206M06	12	6	6	54
J0B16K08K06K01	K1608M06	16	8	6	57
J0B19K10K06K01	K1910M06	19	10	6	57
J0B20K10K06K01	K2010M06	20	10	6	57
J0B25K13K06K01	K2513M06	25	13	6	60

Customization is acceptable.

Ball Nose Cone

Shape : SL



Items

Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K13K03L01	L0313M03	3	13	3	38
J0B06K16K06L01	L0616M06	6	16	6	50
J0B08K20K06L01	L0820M06	8	20	6	69
J0B10K25K06L01	L1025M06	10	25	6	74
J0B12K30K06L01	L1230M06	12	30	6	76
J0B16K33K06L01	L1633M06	16	33	6	77
J0B19K38K06L01	L1938M06	19	38	6	83
J0B20K40K06L01	L2040M06	20	40	6	85

Items


Aluminum, Plastic

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B06K16K06LNFA	L0616M06NF	6	16	6	50
J0B08K20K06LNFA	L0820M06NF	8	20	6	69
J0B10K25K06LNFA	L1025M06NF	10	25	6	74
J0B12K30K06LNFA	L1230M06NF	12	30	6	76
J0B16K33K06LNFA	L1633M06NF	16	33	6	77

Customization is acceptable.

Cone

Shape : SM



Items


Dimensions-All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K11K03M01	M0311M03	3	11	3	38
J0B06K13K03M01	M0613M03	6	13	3	50
J0B06K18K06M01	M0618M06	6	18	6	50
J0B08K20K06M01	M0820M06	8	20	6	58
J0B10K20K06M01	M1020M06	10	20	6	65
J0B12K25K06M01	M1225M06	12	25	6	70
J0B16K25K06M01	M1625M06	16	25	6	73
J0B19K25K06M01	M1925M06	19	25	6	73

Customization is acceptable.

Inverted Cone

Shape : SN



Items

Dimensions - All in mm

Order No.	Type	Cut Dia	Cut Length	Shank Dia	OAL
J0B03K04K03N01	N0304M03	3	4	3	38
J0B06K08K06N01	N0608M06	6	8	6	50
J0B08K10K06N01	N0810M06	8	10	6	55
J0B10K10K06N01	N1010M06	10	10	6	55
J0B12K12K06N01	N1212M06	12	12	6	57
J0B16K16K06N01	N1616M06	16	16	6	61
J0B19K16K06N01	N1916M06	19	16	6	61
J0B20K19K06N01	N2019M06	20	19	6	64

Customization is acceptable.

Burr Sets

Items



Order No.	Type	Contents
JBS05PJCKG1	RFT5-2G	A1020M06 C1020M06 D1009M06 F1020M06 L1025M06

Items

Long Shank



Order No.	Type	Contents
JBS05PJCLG1	RFT5110G	A1020M06-S90 C1020M06-S90 D1009M06-S90 F1020M06-S90 L1025M06-S90

Items



Order No.	Type	Contents
JBS05PJCMG1	RFT5MAXG	A1225M06 F1225M06 E1220M06 M1225M06 D1210M06

Customization is acceptable.

Burr Sets

Items



Order No.	Type	Contents
JBS08PJCKG1	RFT8G	A1225M06 F1225M06 A1020M06 C1020M06 F1020M06 D1210M06 C0616M06 D0605M06

Items



Order No.	Type	Contents
JBS08PJCKG2	RFT8MAX-SG	A1225M06 C1625M06 F1225M06 G1225M06 M1225M06 E1220M06 L1230M06 D1210M06

Customization is acceptable.

Burr Sets

Items



Order No.	Type	Contents
JBS10PJCKG1	RFT10-1G	A1020M06 C0616M06 C1020M06 D0605M06 D1009M06 F0618M06 F1020M06 G0618M06 L1025M06 M0820M06

Items



Order No.	Type	Contents
JBS10PJCMG1	RFT10MAXG	A1225M06 C1225M06 F1225M06 G1225M06 M1225M06 A0616M06 C0616M06 D0807M06 F0618M06 G0618M06

Customization is acceptable.

Burr Sets

Items

Aluminum, Plastic



Order No.	Type	Contents
JBS05PNFKG1	RFT5ALG	L1025M06NF A1020M06NF C1020M06NF F1020M06NF D1009M06

Items

Aluminum, Plastic



Order No.	Type	Contents
JBS05PNFLG1	RFT5AL110G	L1025M06NF-S90 A1020M06NF-S90 C1020M06NF-S90 F1020M06NF-S90 D1009M06NF-S90

Items

Aluminum, Plastic




Order No.	Type	Contents
JBS20PJCKG1	RFT33G	A0313M03 C0314M03 D0303M03 E0307M03 F0313M03 G0313M03 H0313M03 L0313M03 M0311M03 N0304M03 (2PCS for each size)

Customization is acceptable.

FLEXIBURRS

Shape: SC



Items


Dimensions-All in mm

Order No.	Cut Dia	Cut Length	Shank Dia	Shank Length	OAL
J0B10K20150CSA	10	20	6	150	170
J0B11K25150CSA	11	25	6	150	175
J0B12K25150CSA	12	25	6	150	175
J0B16K25150CSA	16	25	6	150	175
J0B20K25150CSA	20	25	6	150	175
J0B10K20300CSA	10	20	6	300	320
J0B11K25300CSA	11	25	6	300	325
J0B12K25300CSA	12	25	6	300	325
J0B16K25300CSA	16	25	6	300	325
J0B20K25300CSA	20	25	6	300	325
J0B10K20450CSA	10	20	6	450	470
J0B11K25450CSA	11	25	6	450	475
J0B12K25450CSA	12	25	6	450	475
J0B16K25450CSA	16	25	6	450	475
J0B20K25450CSA	20	25	6	450	475

Customization is acceptable.

FLEXIBURRS

Shape: SE



Items


Dimensions-All in mm

Order No.	Cut Dia	Cut Length	Shank Dia	Shank Length	OAL
J0B06K10150ESA	6	10	6	150	160
J0B08K12150ESA	8	12	6	150	162
J0B16K25150ESA	16	25	6	150	175
J0B06K10300ESA	6	10	6	300	310
J0B08K12300ESA	8	12	6	300	312
J0B16K25300ESA	16	25	6	300	325
J0B06K10450ESA	6	10	6	450	460
J0B08K13450ESA	8	12	6	450	462
J0B16K25450ESA	16	25	6	450	475

Customization is acceptable.

FLEXIBURRS

Shape: SF



Items

Dimensions-All in mm

Order No.	Cut Dia	Cut Length	Shank Dia	Shank Length	OAL
J0B06K15150FSA	6	15	6	150	165
J0B10K20150FSA	10	20	6	150	170
J0B12K25150FSA	12	25	6	150	175
J0B16K25150FSA	16	25	6	150	175
J0B20K25150FSA	20	25	6	150	175
J0B06K15300FSA	6	15	6	300	315
J0B10K20300FSA	10	20	6	300	320
J0B12K25300FSA	12	25	6	300	325
J0B16K25300FSA	16	25	6	300	325
J0B20K25300FSA	20	25	6	300	325
J0B06K15450FSA	6	15	6	450	465
J0B10K20450FSA	10	20	6	450	470
J0B12K25450FSA	12	25	6	450	475
J0B16K25450FSA	16	25	6	450	475
J0B20K25450FSA	20	25	6	450	475

Customization is acceptable.

Other Carbide Burrs



Customization is acceptable.

DiCTOOLS

Quality Tooling Solutions



DEDICATED IMPEX COMPANY

D-188-189, Industrial Focal Point,
Patiala 147003, Punjab INDIA

✉ info@dictoolsindia.com

☎ +91- 9592228222

☎ +91- 0175-2912701

🌐 www.dictoolsindia.com



DEDICATED IMPEX FZE

B.C. 1303260, Ajman Free Zone,
P.O. BOX: 47359, Ajman, UAE

✉ info@dictoolsindia.com

☎ (+971) 556721577

🌐 www.dictoolsindia.com